

Trading to Improve Water Quality

Webcast
December 14, 2005

Lynda Hall
U.S. Environmental Protection Agency
and
Sonja Biorn-Hansen
Oregon Department of Environmental Quality

What We'll Cover

- What is trading?
- How does trading work?
 - Setting trading boundaries, defining credits, identifying buyers and sellers
- Project examples
- Where does trading work? For what pollutants?
- Benefits and challenges of trading

What We'll Cover

- Key functions for all trading programs
 - CWA compliance, public information, connecting buyers/sellers
- Trading to reduce thermal load in the Tualatin River, Oregon
- Where is trading occurring now?
- What's next for trading
- Where to get more information

What is “Trading”?

- Cap and trading
- Emissions trading
- Pollutant trading
- Effluent trading
- Offsets
- Mitigation

'Trading' is a general approach useful for many environmental problems

- Lead in gasoline phasedown 1980's
- Acid rain – 1990's
- Wetlands mitigation
- Endangered species habitat
- Streambank restoration
- Greenhouse gas reduction
- Water quality trading

5

Acid rain reductions XX tons over Y years at a cost savings of \$\$ vs. projected costs

What is Water Quality Trading (WQT)?

- Watershed management approach suited to particular water quality challenges
- Based in economic market principles
 - Sources facing higher pollutant control costs may purchase environmentally equivalent pollutant reductions from another source at lower cost
- Voluntary, but integrated and consistent with Clean Water Act regulations
 - An approach to meeting CWA goals, not an alternative to them

6

Fix format on this slide

How Trading Works

- A 'cap' or limit is placed on the total amount of pollutant that can be released from all sources
 - Timeframe is established to meet cap
- Sources receive an allocation, i.e., authorization to release a given amount of pollutant
- Sources can meet their allocation by:
 - Making all necessary reductions on-site OR
 - Buying additional allocations - credits - from other sources that have reduced pollutants below their own allocation

7

General description true for most types cap and trade programs;

Bullet 2: authorized amts consistent with meeting WQS

Sources that supply credits must reduce BELOW their allocation - important

The WQT 'cap' is often a TMDL

- Or other consensus water quality goal
- TMDLs are the most common WQT caps
 - Establish pollutant 'budget' sufficient to achieve water quality standards
 - PS are assigned individual wasteload allocations
 - Implemented via water quality-based effluent limits in NPDES permits
- NPS are assigned load allocations by category
 - Not enforceable under CWA
 - Trading can provide incentives for NPS pollutant reductions

Introducti 8

Say: Total Max. Daily Loads, TMDLs = to restore impaired waters to meet WQS

Can be other established/consensus WQ goal, e.g., Chesapeake Bay established loading caps by tributary consistent with WQS

EACH PS facility gets WQBEL derived from WLA

NPS group allocation by general source – all Ag, all forestry, etc. One reason PS/NPS trading more challenging to implement – more on that later. NPS not enforceable CWA, rely on voluntary EPA, state, USDA funding programs to achieve – one reason trading promising can be incentive for landowners, et al to install BMPs to achieve their LA then go beyond to generate credits for sale to NPS. Watershed scale PS/NPS trading programs could be significant way to achieve WQS in waters impaired by both PS and NPS

How Trading Works, cont'd


- The exchange of credits to meet the water quality cap is 'trading'
 - BUYERS have high pollutant control costs
 - SUPPLIERS have lower costs
- WQT takes different forms
 - Point/point source trades among NPDES facilities
 - Watershed scale; implemented via group permit
 - Point/nonpoint source trades
 - So far limited to offsets for a single NPDES facility
 - Point/nonpoint source trading on a watershed scale

9

PS/PS A few well-established programs

PS/NPS offsets = one NPDES facility negotiates a trade to meet its permit requirements

PS/NPS on watershed scale, being explored in a number of watersheds – greater promise and challenges than other types of trading




Happy River basin; TMDL = reduce P loadings to Lake Content. Array of PS and NPS

1. Cluster of PS on tributary – trading under group permit
2. Single PS, could purchase credits from upstream farm

Watershed Scale PS/NPS Trading

- Several programs under development
 - Passaic River, NJ
 - Cape Fear River, NC
 - Kalamazoo River, MI
 - Miami River, OH
 - others



Would like to reverse text and picture
Many supported by EPA TWG

Questions?



12

Example: Seasonal Hypoxia in Long Island Sound


- Excessive nutrient loadings contribute to hypoxic zone in Long Island Sound each summer
- To eliminate hypoxia, Connecticut TMDL calls for 64% nitrogen reduction among 79 wastewater treatment plants by 2014
- Challenging goal, potential price tag \$1 billion




Long Island Sound Water Quality Monitoring Program
Summer Hypoxia Survey

Cruise: WQAUG99

August 2-5, 1999



Acknowledge Gary Johnson, CT DEP for slides and info.



Each facility was allocated a percentage of the total statewide TMDL loading equal to their percentage contribution to the statewide current discharge flow rate.

TMDL = from about 49,000 pounds per DAY to about 18,000 pounds/day TN

Nitrogen Cap and Trade: Long Island Sound

- CT established a Nitrogen Exchange allowing WWTPs to
 - reduce nitrogen *or*
 - buy nitrogen reductions from the Exchange *or*
 - over-control nitrogen and sell reductions
- 79 WWTPs covered by one NPDES permit
- Permit has aggregate cap that declines every two years to meet 2014 goal

16


Permit and cap is for TN; individual permit limits for all other parameters including N compounds with acute effects, e.g., ammonia

Water Quality Equivalence

- WQT changes location of pollutant controls within a watershed
- Water quality equivalence considers that the impact of pollutant control at source A may differ from source B
- Ratios, based on pollutant fate and transport models, account for different WQ impacts

Suitability Analysis 17

Water quality equivalence is particularly relevant for situations with a specific downstream monitoring point or point of concern (like a reservoir or estuary)




Connecticut and LI Sound General Permit example -
 Facilities close by will have lower

Slide is animated to show map and then the way they set up contribution ratios based on which part of the state the discharge is from. Discharges from eastern and north eastern are given lower ratio than discharges from south west areas – this is based on relative impact driven by proximity to the area of impact. You will note that discharges that occur in the extreme south west area get a low ratio because of the flow into the Sound is not as heavy from that area.

In terms of trading, these relative contribution ratios are very important. For dischargers in the southwest part of CT, if they are able to accumulate one pound of credit, they can sell it for approximately the full one pound value. In the for north east area of the state, one pound of credit is only valued at about 0.14. So this has produced an incentive for dischargers in the southwest to invest in treatment and they have.

The TMDL had a 15 year schedule – current projections indicate that for the point source contributions, they may reach the needed reductions about 6 years ahead of schedule.

Program has been up and running for about 3-4 years now.




Expect to reach nitrogen goal 5 to 6 years earlier than more traditional allocation and save \$200 million



Example: South Nation River, Ontario

- Trading to reduce total phosphorus in NPS-dominated watershed



21


Next example goes North to Canada. We have P/NPS trading in USA but not yet on watershed scale. This example 1) on a watershed scale and 2) employs a central 'bank' of NPS credits which could be a promising approach more generally.

Acknowledge Dennis O'Grady of SNC who provided these slides and leadership for the P reduction program

90% of P from NPS

South Nation Water Quality Challenge

- Phosphorus (P) degradation
 - Annual mean five times greater than water quality objective of .3 mg/l
- 18 wastewater treatment plants with several new or expanding facilities
- High treatment costs



22

>\$15M tertiary treatment per plant

Cap and Trade to Reduce P

- Province capped loads at 1998 levels
- New or expanded dischargers must achieve no net increase of P in watershed by:
 - treating their discharge to zero kg P OR
 - buying P credits to offset loads at 4:1 ratio
- SNC Authority is the broker for all P trades

23

Wastewater discharge must still meet Provincial treatment standards for all other parameters

Historical Clean Water Program

Since 1993, South Nation delivered 420 BMP projects worth over \$5.4 million (> \$1.6 million in grants)

Approx 350 are P reduction projects

Allowed cost/kg of P to be calculated

Verified amount of P that can be removed (> 9,166 kg annually)

Gave Province comfort level on P targets

Allowed TPM to proceed more quickly

How credits are generated



- Calculations developed for a set of BMPs
 - Manure storage
 - Milk-house washwater treatment
 - Barnyard runoff control
 - Limiting livestock access
 - Buffer strips
- Ratio of 4 to 1 applied
- Credits generated when project installed

24

If manure lagoon trapped 100 pounds/day P, only 25 pounds per day available to PS dischargers for purchase

Results 2000-2004 = 6900 kg/yr P (15,000 pounds) reduced through dozens of projects

Trading Process Summary



25


P credits are allocated based on targets for each discharger

Achieving P reduction targets varies from 1 to 5 years

List of projects that make up the “bank” of P credits is provided, individual projects and landowners are not specifically identified

this format adopted to address initial stakeholder concerns regarding landowner liability for performance of P reducing projects

Trading Process, cont'd



Monitoring

- 13 stations sampled monthly for surface water quality (April – Nov.)
- Historical data >40 years at some stations, provides baseline information to track P trends over time
- Monitoring provides data on WQ trends, not on individual BMPs



Avoiding “hot spots”

- Trading programs sometimes raise concerns about “hot spots” or locally high pollutant loads
- Circumstances that potentially create hotspots can be identified in advance
 - Large credit buyers or increased discharge upstream of an impoundment or slow-moving reach
 - Large credit buyers or increased discharges into a highly impaired water segment
 - Any purchase of credits directly upstream of drinking water reservoir
 - Trades that become large by crossing numerous equivalency zones

28

These circumstances can be anticipated and avoided through program design and implementation. Note that these factors don't guarantee a hot spot will be created but should be carefully evaluated to determine whether a hot spot may be created and, if so, program designed and implemented to avoid that situation.

Avoiding “hot spots” through program design

- Trading program can and should be designed to avoid hot spots. Some approaches for doing so include:
 - For group permits, include individual permit limits for parameters affecting local water quality, e.g., ammonia nitrogen
 - Limit the number of credits used within an area
 - Limit the direction of trades, e.g., upstream versus downstream, or weight trades to favor a direction
 - Apply minimum reductions (before trading) on sources with high potential for creating local impacts



Water Quality Trading Activity



Where Do We Stand With Water Quality Trading? (Scale of trading)

- So far most trades are single facility offsets
- Three watershed scale PS trading programs in place, all to protect nutrient-impaired estuaries
 - Connecticut Long Island Sound
 - Neuse River, NC
 - Tar-Pamlico, NC
- Watershed scale programs under development
 - Passaic River NJ
 - Cape Fear River NC
 - Kalamazoo River, MI
 - Bear River, CO/WY
 - Lake Tahoe
 - Lower Boise River, ID
 - Miami River, OH

32

Why isn't there more trading?

Regulatory drivers essential yet lacking in many places

Biggest 'markets' expected for phosphorus, nitrogen but...many states have not adopted numeric water quality standards for nutrients

As more states adopt standards, water quality drivers will exist in more watersheds

Alternate driver of water quantity may emerge in some places

Trading is a significant shift in approach

requires education, time for scoping and assessment, infrastructure development, stakeholder engagement

A decision to proceed with WQT must be made watershed-by-watershed

Pollutant reductions made outside of a watershed will not help meet its water quality standards

Diversions, impoundments and other features significantly impact pollutant fate and transport

Analysis required to determine whether trading can succeed in a specific watershed, economically or environmentally



State of Oregon
Department of
Environmental
Quality

Water Quality Trading in Oregon


Experiences to Date,
What's Next



Perceptions of Trading

- Proponents: Trading is a way to bring free market efficiencies to reduce compliance costs
- Opponents: Trading is a way for polluters to get off the hook
- Alternate view: Trading can be a better way to protect the resource

Tualatin Basin: Salmonid Streams and Land Uses




Water Quality Program



State of Oregon
Department of
Environmental
Quality

Tualatin River Temperature Profile (Observed and Predicted for 7/27/99)





Trading Case Study: Clean Water Services

The following are allowed:

1. Temperature trading involving a combination of the following:

- Riparian shading
- Flow augmentation

2. “Bubble” permit limits for BOD and ammonia

- Limits allow interplant and intraplant trading of BOD and ammonia



CWS Trade: Advantages

- Avoids the environmental downsides to refrigeration (high need for electricity).
- Riparian shading via native plants + flow aug. = greater environmental benefit.
- Much cheaper for the source.



State of Oregon
Department of
Environmental
Quality

CWS Trade: A Side Benefit

We are getting good data on:

- What it takes to get riparian areas planted on agricultural land.
- What it takes/will take to keep it planted.



How much will CWS have to do?

Flow augmentation:

- CWS is able to purchase about 30 cfs throughout the summer
- Impact established via modeling: about ½ excess heat load is offset

Riparian restoration:

- About 35 miles of stream to be planted



State of Oregon
Department of
Environmental
Quality

How much... (cont'd)?

Riparian restoration:

- Impact quantified by measuring the amount of solar radiation that is blocked by shade-producing vegetation



State of Oregon
Department of
Environmental
Quality

“Good” Riparian Area





State of Oregon
Department of
Environmental
Quality

“Bad” Riparian Area





How do they get so “bad”?

Streams are messy and unpredictable, they meander and flood.

So, people try to control them.

--Methods: removal of streamside vegetation, channel straightening, installation of dikes, levees and riprap.

And... impervious area happens.

As watersheds become increasingly built-up, peak flows increase.



State of Oregon
Department of
Environmental
Quality

What happens when people try to control streams?

The Law of Unintended Consequences kicks in.

Some unintended consequences:

- Increased erosion rates.
- Streamside vegetation becomes dominated by nonnative invasives.
Or riprap. Or concrete.



State of Oregon
Department of
Environmental
Quality

Back to how much is enough...

The Basic Equation:


Length of Stream Required =

Excess Heat Load (per day)
(Reduced Solar Load x Stream Width)




State of Oregon
Department of
Environmental
Quality

Daily Solar Loading Rates



Effective Shade on Gales Creek





State of Oregon
Department of
Environmental
Quality


Problems...

- Trees will take a long time to grow
- “You are giving CWS credit for something the farmers should already be doing”



State of Oregon
Department of
Environmental
Quality

Compensating for Growth Rate of Trees





State of Oregon
Department of
Environmental
Quality

The equation modified...

Length of Stream Required

$$= \frac{2 \times \text{Excess Heat Load}}{(\text{Reduced Daily Solar Load} \times \text{River Width})}$$



Getting riparian areas planted...

- CWS has developed two incentive programs: “Enhanced CREP” and VEGBACC
- CWS has a contract with NRCS to enroll farmers
- There are 1900 farmers in the basin



State of Oregon
Department of
Environmental
Quality

Alternative Approach

- City of Portland enters into non-binding agreements with (urban) landowners
- Landowner allows access, in exchange City installs plantings
- Homeowner gets free “naturescaping,” City has reduced admin. costs




Establishing Compliance

Challenges:

- Stream temperature is highly variable
- Impact of restoration projects may not be readily measurable at outfall
- Possibility of natural disasters
- Impact of global warming

**Evidence of Global Warming in Oregon:
% Change in Snow Pack Since 1940 at 36 Sites**



Data courtesy of Philip W. Mote, JISAO/SMA Climate Impacts Group,
University of Washington, Seattle, March 2003.



Establishing Compliance

Compliance will be established as follows:

- First 5 years: adherence to planting plans
- After 5 years: plant survival rates and shade density measurements



Status of CWS Trade

Goals for year 1 have been met, and 5 miles of stream have been planted.



State of Oregon
Department of
Environmental
Quality

Clean Water Services Temperature Trade

- Motivation
- Benefits
- How to Quantify
- Compliance

Questions???



What is next for trading?

The Willamette Partnership: an effort to expand trading to the entire Willamette basin.

Goal: to put together a “portfolio” of projects for sources to choose from to offset thermal and other impacts.



Some projects may involve hyporheic flow.



What is hyporheic flow?

- Hyporheic flow refers to flow through the gravels below and at the margins of the river (the hyporheic zone).
- Cooling occurs via hyporheic flow.
- Estimate: hyporheic flows in the Willamette have been reduced by 80% due to bank hardening, loss of channel complexity.

The Willamette River: Channel Simplification





State of Oregon
Department of
Environmental
Quality

Achieving cooling via hyporheic flow...

Some approaches:

- Direct discharge of effluent to hyporheic gravels
- Re-creating side channels
- Floodplain restoration



State of Oregon
Department of
Environmental
Quality

Hyporheic Flow Issues

Need to insure the following:

- Groundwater is not negatively impacted.
- Cooling is adequate.



State of Oregon
Department of
Environmental
Quality

What is (probably) Not next for trading...


The following trading schemes have been proposed:

- Trading in the context of UAAs.
- Removal of contaminated sediments in lieu of better-than-background cleanup in uplands.

Water Quality Program



State of Oregon
Department of
Environmental
Quality





State of Oregon
Department of
Environmental
Quality

When is trading **Not likely to work?**

Trading probably won't work if:

- Regulators, permitted sources and environmental groups do not trust each other.
- Parties do not feel a sense of urgency.



Trading: Lessons Learned

Work with stakeholders to design trades.

Why? Because the CWA is silent on trading!

Where you don't have rules, you better have trust.



State of Oregon
Department of
Environmental
Quality

What we heard from the stakeholders...

- Pursue trades involving shade.
- Limit duration of credit to 20 years.
- Compensate for the time it takes trees to grow.



Lessons Learned (cont'd)

If stakeholders appreciate that trading can be a better way to protect the resource, they may accept:

- Longer timeframe for implementation
- Environmental benefit in a location other than at the outfall
- Uncertainty



Last but not least...

- With trading available as a tool, we can ask “what is the best way to protect the resource?”
- Our perceptions of trading can limit the potential for trading.



State of Oregon
Department of
Environmental
Quality

DEQ Webpage on Trading

- Q&A
- Trading Internal Management Directive
- Links to EPA trading policy, manuals on trading



Potential benefits of WQT

- Substantial cost savings in meeting same water quality goal
 - Chesapeake Bay – WQT could save \$1 billion
 - Miami River, OH – WQT could save \$370M
 - Savings accrue to credit buyers, e.g., publicly-owned treatment plants
 - Revenue provided to credit suppliers, PS or NPS (e.g., landowner)

73

Where suited to the situation, WQT is a way to get more TMDLs, WQ goals implemented. With tight resources, cost savings can make the difference between implementation and no implementation.

In nutrient trading credit buyers will often be public agencies, e.g. POTW, thus savings accrue to the public.

Ches. Bay Finance Panel – if “fully leveraged” (PS and NPS) could save estimated \$1 billion, or about of 7% of total cost for 300 WWTP to reach WQ goal (timeframe not specified but likely 7-15 years)

Miami River, OH, preliminary estimates for 315 WWTP to meet N,P criteria over 20-year period

These are preliminary estimates with many embedded assumptions – no one knows if they’re accurate. But even if the order of magnitude is correct, there is a real opportunity.

Potential benefits of WQT

- For PS/NPS trading, environmental benefits in addition to improved WQ
 - Riparian improvement, reduced erosion
 - Co-control of multiple pollutants
 - Improved habitat, flood retention
 - Potentially, restoration of more wetlands



Where is WQT likely?

Watershed conditions that favor trading

- Water quality problem and pollutant sources are characterized
- Desired water quality target is in place, e.g., consensus cap or TMDL → Driver
- Multiple point sources face more stringent permit limits, i.e., water quality-based limits
- Significant pollutant control cost differences exist among PS or between PS and nonpoint sources

75

Large scale trading is generally viable only when these circumstances align

Can have single facility trades virtually anywhere, where one facility secures credits to meet its WQBEL. But for watershed-scale trading (multiple buyers & sellers) to be successful, experience shows that these factors need to be in place.

Many PS with high control costs make emergence of a 'market' for pollutant reductions more likely

Where is WQT likely?

Watershed conditions that favor trading


- Sufficient modeling, data available to assess relative water quality impact of trades
- Appropriate pollutant type - trading easier for pollutants that exert effects over longer term, larger scale
- Timing of pollutant reductions can be aligned for generation/use of credits
 - e.g., seasonal, annual
- States, stakeholders willing to take nontraditional approach

76

Bullet 1 = WQ equivalence point. Trading moves location of poll. Control thus must be able to assess relative effect of poll. Reduction at diff. Locations in watershed.

WQT Assessment Handbook : Can WQT Advance Your Watershed's Goals?

- Help determine if a watershed has 'trading potential'
- Assess pollutant suitability
 - Pollutant type, timing of loads, WQ equivalence, alignment of credit supply/demand
- Identify potential buyers, sellers and analyze financial attractiveness
- Functions of WQT 'market'
- Engaging stakeholders



77

Trading could help achieve WQ goals in numerous watersheds but limited impl. To date. Several reasons for this. One is: not always clear where trading is the right fit for WQ problem at hand. Based on their experience with several trading projects (or those that didn't emerge) EPA Region 10 developed WQT Assessment Handbook. We published national version a year ago to help stakeholders assess whether trading might be right tool for their watershed.

Much of info on equivalence, hot spots, identifying potential buyers and sellers, is covered in more detail in the Handbook

Identify potential credit users/buyers

Typically PS that face more stringent NPDES permit limits and have high control costs

Identify potential credit suppliers/sellers

PS with lower control costs than other PS

NPS with lower control costs

Requires preliminary control cost estimates for key PS and representative nonpoint sources

Key Functions

All WQT programs must:

- Assure CWA compliance
- Define trading area boundaries
- Define credits - exchangeable pollutant reductions
 - e.g., average pounds/day total phosphorus reduced during a one-year period
- Ensure accountability for pollutant reductions
- Ensure water quality equivalence and avoidance of hotspots
- Enable communication among credit buyers and sellers

Key Functions

All WQT programs must:

- Track trades and progress towards WQ goals
- Manage risk among parties to trades
- Provide information to the public and other stakeholders

Defining PS Credits

- Facilities may not trade to meet technology-based NPDES limits
- A facility may purchase credits to meet more stringent water quality-based limits
 - within limits needed to protect local water quality
- A facility can create credits to sell if its discharge is reduced below water quality-based limits
 - If limit=100, a reduction to 75 could generate 25 credits

80

EPA Water Quality Trading Policy, 2003

Another key issue which NPDES permit limits could be met through trading. PS may be subject two kinds of limits NPDES permits

-technology-based effluent limits all must meet; developed for their industrial category by pollutant; many of these in place for decades

-water quality-based effluent limits – more stringent, included in permits where waterway impaired for pollutant and PS is causing or contributing to impairment, whether or not TMDL for that water

May trade for latter but not technology standards – statutory minimums.

“Credits” created when discharge below WQBEL. Another facility can purchase credits to meet WQBEL; however may not do so if discharge threatens local WQ.

NPS Credits: Addressing Measurement Challenges

- NPS load estimates are less certain than PS loads
 - Loads are diffuse, variable based on weather, site conditions
 - Unlike PS discharges, distance from waterbody can vary
 - Best Management Practices (BMPs) vary in effectiveness
- Approaches to address NPS uncertainty
 - Discount credits based on location, other factors
 - Apply trading ratios (2 NPS:1PS) or retire portion of each credit traded
 - Use quantified management practices where feasible
 - Use conservative assumptions on BMP effectiveness
- Essential to engage agricultural professionals early and often in PS/NPS trading design and implementation

81

Measurements or BPJ used to establish ratios: Alton, IL BPJ 2:1 sediment offset
Lower Boise: identified 8-9 practices for which reliable data available; if these practices used
Reduce need for discounting by using demonstrated values or conservative assumptions

States, others developing trading programs that involve NPS – essential to bring Ag experts in early for technical and implementation credibility and expertise

Defining NPS Credits

- 2003 EPA Trading Policy - baseline for creating nonpoint source credits is TMDL load allocation (LA)
 - States have discretion to identify other environmentally appropriate baselines
 - If TMDL, question becomes how to equitably apply aggregate LA to individual land parcels

82

Defining NPS credits trickier

Defining NPS Credits – An Approach

Estimating P credits - Lower Boise, ID program

- Identify eligible BMPs and efficiencies
- Estimate current P load of land parcel using soil slope and loss factors
- Estimate P reductions achieved with BMPs including uncertainty factor
- From total P reduction achieved, deduct contribution to TMDL LA or other WQ goal
- What remains are marketable 'credits'
 - which may be further discounted for location or to offset PS/NPS uncertainty



What Does the Future Hold? Uncertainty and Opportunity for WQT

- Uncertainty about when, where trading programs will develop
- Technical challenges remain with nonpoint source trading
- 50,000 waters impaired by excess nutrients; more likely in coming years
 - A much smaller subset will have favorable conditions for trading
 - Where conditions are favorable, incentives for trading can be large



In these cases there may be a role for a central 'banker' to facilitate trades

85

And uncertain about size and number of markets. But if it's going to happen we need to start in earnest to address a number of challenges.

Technical and implementation challenges NPS trading. Not subject of this talk but don't want to minimize. Still need i.d. analytical methods and approaches to reliable NPS measurements.

Credit 'Banks' Could Be Essential for NPS Trading

- Trading won't happen unless credit buyers and sellers can readily connect
 - Multiple buyers, e.g., wastewater treatment plants
 - Many potential sellers, e.g., landowners
- Most large buyers will need aggregated credits from multiple locations
- NPS credits vary widely in performance and uncertainty and must be verified, discounted accordingly
- Other potential banker/broker functions
 - Optimize selection, location of BMPs
 - Provide escrow or backup credits in case of BMP failure

86


Trading among PS is straightforward and partners can generally find one another. For PS/NPS trading, however, banker/brokers could be essential to its success. Unlikely to be large "single user" banks for NPS credits, where the buyer provides his own credits. In part b/c buyers generally won't be state agencies (DOT) but will be large municipalities

In large watersheds, could be dozens of buyers; hundreds of sellers. POTWs and landowners don't have a history of working together, may distrust. Landowners want arms-length (or more) from gov't activities and are too busy, not necessarily qualified to assess credits, discount, market and sell.

Likely need for credit aggregation and 'insurance' that individual landowners unlikely to provide.

Other functions could be added, e.g., preferring measurable BMPs which result in higher-value (less discounted) credits; focusing BMPs in watershed areas that maximize their effectiveness in treating pollutants.

Possible PS-NPS Framework



In closing...

- Like other watershed decisions, trading program design and implementation can occur at regional, state and local levels
- Effective engagement of watershed stakeholders can greatly influence the success and outcomes of trading programs

