

# Federal Business Opportunities (FedBizOpps) Update

Notices for October 2-8, 2017

This update contains summaries of procurement notices issued between October 2-8, 2017 that pertain to hazardous waste, investigation and cleanup of environmental contamination, and related environmental topics. However, it does not necessarily contain EVERY notice on these topics.

If you would like to search for additional current and archived notices, or receive notification of solicitation amendments, please visit the [FedBizOpps web site](#).

## TRUMAN POWER PLANT REMEDIATION (SRCSGT)

**SOL:** W912DQ18FXTBD

**DUE:** 101317

**POC:** David M. Best, [david.m.best@usace.army.mil](mailto:david.m.best@usace.army.mil), 816-389-3404; Richard Mathena, Contract Specialist, [richard.a.mathena@usace.army.mil](mailto:richard.a.mathena@usace.army.mil), 816-389-2041, Fax: 816-389-2029.

**WEB:** FBO.gov Permalink at <https://www.fbo.gov/spg/USA/COE/DACA41/W912DQ18FXTBD/listing.html>

**NAICS:** 562910. This is a Sources Sought Synopsis to seek information from industry that will be used solely for preliminary planning purposes for a potential future procurement. The Kansas City Corps of Engineers is interested in qualified small business sources that primarily perform work under NAICS code 562910 (Environmental Remediation Services). The applicable size standard is 750 employees. The project is located at the Harry S. Truman Dam and Hydroelectric Power Plant located near Warsaw, Missouri. The general scope of the requirement will be to perform the cleanup and disposal of debris (e.g., lead-based paint chips and swarf) and dust contaminated with lead, chromium, and cadmium generated during routine operation and maintenance activities and from the deterioration of paints and coatings applied to building materials (walls), equipment, and machinery at the facility; and to perform paint stabilization on a number of walls and vertical surfaces where the condition of the known lead-based paint has deteriorated and exhibits peeling, delaminating, chalking and dusting. All of the work will be performed while the power plant is in operation. Some of the paint stabilization work will be performed at height, where an existing fall protection system is in place. Any hazardous material generated or collected during abatement or stabilization activities will require proper disposal. Post-abatement or post-remediation clearance sampling will be performed and will be subject to third-party verification. The Contractor, its subcontractor(s) and appropriate employee(s) of each, shall be responsible for obtaining and maintaining any registration or certification as required by the various federal, state (Missouri), and local regulatory agencies, and any other registrations, certifications, licenses, permits, warrants, or other credentials or permissions required to perform these tasks. The Harry S. Truman Power Plant is an active facility with significant operational and security requirements for various activities. The Contractor will be subject to these limitations relative to coordination of activities, schedule, training, and access. Contractor personnel (including all subcontractors) that will be entering the power plant will be required to have a 7-year background investigation at the local police department. This sources sought is intended only to assist the Corps of Engineers in identifying an appropriate acquisition strategy. Interested small business firms are invited to submit capabilities statements. RESPONSES MUST BE RECEIVED BY OR BEFORE 10:00 AM CT ON OCTOBER 13, 2017.

**CITE:**

<https://www.fbo.gov/?s=opportunity&mode=form&id=7c46ac3c73e73669c6b7dc2370ca56d8&tab=core&cvview=1>

**Posted:** 10/05/17

**SPONSOR:** Department of the Army, U.S. Army Corps of Engineers, USACE District, Kansas City, MO.

**PUBLICATION DATE:** October 7, 2017

**ISSUE:** FBO-5797

## HOUSEKEEPING ON OAKRIDGE DRY DOCK/REMOVING LOOSE LEAD PAINT (COMBINE)

**SOL:** 2118408Y6168536001

**DUE:** 101617

**POC:** Kathleen M. Lechert, Purchasing Agent, [Kathleen.M.Lechert@uscg.mil](mailto:Kathleen.M.Lechert@uscg.mil).

**WEB:** FBO.gov Permalink at <https://www.fbo.gov/spg/DHS/USCG/USCGELC/2118408Y6168536001/listing.html>

**NAICS:** 562910. THIS REQUIREMENT IS A TOTAL SMALL BUSINESS SET-ASIDE. This announcement constitutes the only solicitation. Quotations are being requested and a written solicitation will not be issued. The NAICS code for this solicitation is 562998, and the small business size standard is \$7.5M. Various compartments on the Oakridge Dry Dock may contain lead paint that is loose and chipping off that require removal. This service shall be limited to the removal of gross debris, and is NOT intended to be part of a larger and more detailed HAZMAT abatement or remediation strategy. All work must be completed in accordance with the Statement of Work. The intent of the SOW is to define the Housekeeping Service requirements, which shall be limited to the removal of gross debris and is NOT intended to be part of a larger and more detailed Hazmat abatement or remediation strategy. A site visit is required for all prospective companies that intend to submit a quote for this requirement. It is anticipated that a purchase order shall be awarded as a result of this solicitation, with services to begin October 30, 2017. THE CLOSING TIME AND DATE FOR QUOTES IS 2:00 PM ET ON OCTOBER 16, 2017, via email to [Kathleen.M.Lechert@uscg.mil](mailto:Kathleen.M.Lechert@uscg.mil).

**CITE:**

<https://www.fbo.gov/?s=opportunity&mode=form&id=c5a1d53dad2c03b8c0b485a450117b03&tab=core&cvview=0>

**Posted:** 10/05/17

**SPONSOR:** Department of Homeland Security, United States Coast Guard (USCG), USCG Surface Forces Logistics Center, Baltimore, MD.

**PUBLICATION DATE:** October 7, 2017

**ISSUE:** FBO-5797

## WATER SAMPLING RFQ (COMBINE)

**SOL:** FA486118QB001

**DUE:** 101817

**POC:** Maggie S. Chittur, [maggie.chittur.2@us.af.mil](mailto:maggie.chittur.2@us.af.mil), 702-652-3365; Cortney C. Young, [cortney.young@us.af.mil](mailto:cortney.young@us.af.mil), 702-652-8402.

**WEB:** FBO.gov Permalink at <https://www.fbo.gov/spg/USAF/ACC/99CONS/FA486118QB001/listing.html>

**NAICS:** 541620. THIS SOLICITATION IS A SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS SET-ASIDE. This announcement constitutes the only solicitation; quotations are being requested and a written solicitation will not be

issued. A firm-fixed-price-type contract will be awarded for services near Nellis AFB and Creech AFB. The Contractor shall provide all management, tools, equipment, and labor necessary to ensure that water sampling services at Creech AFB and operational ventilation surveys at Mike O'Callaghan Military Medical Center, are conducted in a manner that will maintain a satisfactory facility condition and present a clean, neat and professional appearance. The contractor shall accomplish water sampling and monitoring and will be required to provide results that are identified in Appendices B to meet the requirements of the PWS and the Service Summary. QUOTES MUST BE RECEIVED NO LATER THAN 4:30 PM PT ON WEDNESDAY, OCTOBER 18, 2017, at [maggie.chittur.2@us.af.mil](mailto:maggie.chittur.2@us.af.mil).

**CITE:**

[https://www.fbo.gov/?s=opportunity&mode=form&id=567cc89f97ef4297c8f5ce9e0e84550d&tab=core&\\_cview=0](https://www.fbo.gov/?s=opportunity&mode=form&id=567cc89f97ef4297c8f5ce9e0e84550d&tab=core&_cview=0)

**Posted:** 10/02/17

**SPONSOR:** Department of the Air Force, Air Combat Command, 99 CONS, Nellis AFB, Nevada.

**PUBLICATION DATE:** October 4, 2017

**ISSUE:** FBO-5794

**TECHNICAL SUPPORT FOR UNDERGROUND FIELD CONSTRUCTED TANKS AT THE RED HILL BULK FUEL STORAGE FACILITY (COMBINE)**

**SOL:** SOL-R9-17-00008

**DUE:** 110317

**POC:** James Hallman, (415) 972-3000, [Hallman.James@epamail.epa.gov](mailto:Hallman.James@epamail.epa.gov).

**NAICS:** 541620. THIS ACQUISITION IS UNRESTRICTED. The Red Hill Underground Fuel Storage Facility, owned and operated by the U.S. Navy, is an underground complex of 20 very large field-constructed underground storage tanks (FCTs), four large FCTs, associated piping network, pumping station, control room and fueling pier located at and near Pearl Harbor on the island of Oahu in Hawaii. The underground storage tanks (USTs) were constructed in 1940-1943 by tunneling into the volcanic mountain and constructing the tanks inside the mountain. Each tank is approximately 250 feet high and 100 feet in diameter, with the storage capacity of each tank about 12.5 million gallons. Because of the threat the facility poses to the groundwater resources in Oahu, on September 29, 2015, the U.S. EPA, the Hawaii Department of Health (DOH), the U.S. Navy, and the Defense Logistics Agency (DLA) signed an Administrative Order on Consent (AOC), which requires the Navy and DLA to take steps to ensure that the groundwater resource in the vicinity of the facility is protected and that the facility is operated and maintained in an environmentally protective manner. Protection of the groundwater resource may require upgrades to the facility infrastructure and operational procedures to minimize the release of fuel into the subsurface. The purpose of this contract is for the EPA and DOH (collectively referred to as the "regulatory agencies") to secure advice and technical support from a tank industry expert. The AOC requires the Navy and DLA to perform evaluations in the areas of (1) Tank inspection, repair, and maintenance; (2) Technologies to upgrade the design and operation of the tanks; (3) Determining the extent and effects of metal corrosion and fatigue on tank operations; (4) Leak detection technologies and practices; and (5) Facility risk assessment. As needed and at the regulatory agencies' discretion, the contractor shall be available to discuss various aspects of the project with the regulatory agencies during either in-person meetings or teleconferences. The contractor will be required to provide expert advice on tank industry standards and practices covering the five topics, provide initial input to the Navy and DLA as they develop deliverables required under the AOC, and review the Navy and DLA deliverables to ensure the reports meet the requirements established during negotiations. This project will require travel to Honolulu, Hawaii. EPA expects on average two to three trips a year. Trips will generally be one week in duration. Trips generally are planned at least one month in advance. The contractor should plan for at least two teleconferences per month, though the actual number may vary and could be as much as four teleconferences per month depending on the implementation schedule of the AOC. Conference calls generally are scheduled one week in advance. Due to the time difference between San Francisco and Honolulu, conference calls usually occur after 11:00 am Pacific Time. This performance period of this contract will be approximately January 2018 through December 2022. Offerors must submit all technical questions concerning this solicitation electronically through FedConnect at <https://www.fedconnect.net/FedConnect?doc=SOL-R9-17-00008&agency=EPA> [Note: It might be necessary to copy and paste the URL into your browser for direct access]. PROPOSALS MUST BE RECEIVED BY OR BEFORE 09:00 PM ET ON NOVEMBER 03, 2017, although the solicitation currently does not specify whether proposals shall be submitted via FedConnect or as hard copy.

**CITE:**

[https://www.fbo.gov/?s=opportunity&mode=form&id=d1b65f609ae57025f721710ee2cb0a73&tab=core&\\_cview=0](https://www.fbo.gov/?s=opportunity&mode=form&id=d1b65f609ae57025f721710ee2cb0a73&tab=core&_cview=0)

**Posted:** 10/06/17

**SPONSOR:** Environmental Protection Agency, Office of Acquisition Management, Region IX, San Francisco, CA.

**PUBLICATION DATE:** October 8, 2017

**ISSUE:** FBO-5798

**Z--LIBO VC ASBESTOS ABATEMENT (PRESOL)**

**SOL:** 140P6218R0001

**POC:** Kathryn Logsdon, (217) 391-3225, [kathryn\\_logsdon@nps.gov](mailto:kathryn_logsdon@nps.gov).

**WEB:** FBO.gov Permalink at <https://www.fbo.gov/spg/DOI/NPS/APC-IS/140P6218R0001/listing.html>

**NAICS:** 562910. ON OR ABOUT OCTOBER 20, 2017, THE NATIONAL PARK SERVICE INTENDS TO ISSUE RFP 140P6218R0001 TO SOLICIT PROPOSALS FOR ABATEMENT OF ASBESTOS AND PROJECT-ASSOCIATED RECONSTRUCT WORK AT THE LINCOLN BOYHOOD NATIONAL MEMORIAL VISITOR CENTER, located in Lincoln City, IN 47552. [RFP 140P6218R0001 replaces presolicitation Notice P17PS01905 posted 7/7/17 on FedBizOpps and FedConnect.] The work will consist of the Contractor, in accordance with the Indiana Administrative Code, EPA and OSHA regulations, and the terms and conditions of the solicitation/contract, providing all labor, supervision, certifications, licenses, materials, tools, equipment, supplies, transportation, vehicles, and other items, services, and incidentals necessary to complete asbestos abatement and project-associated reconstruct work at the Lincoln Boyhood National Memorial Visitor Center. See the FedBizOpps notice for details. The solicitation will result in a single firm-fixed-price construction contract with award anticipated in the late November 2017 time frame. The period of performance will be 45 calendar days from the date of the Notice to Proceed. The magnitude of the project lies between \$250,000 and \$500,000. THIS OPPORTUNITY IS SET ASIDE FOR SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS (SDVOSB) CONCERNS. A single pre-proposal site visit is scheduled for 10:00 AM CT on Tuesday, October 24, 2017.

**CITE:**

[https://www.fbo.gov/?s=opportunity&mode=form&id=f792492a7bbb2a9805e91092ff88b0dd&tab=core&\\_cview=0](https://www.fbo.gov/?s=opportunity&mode=form&id=f792492a7bbb2a9805e91092ff88b0dd&tab=core&_cview=0)

**Posted:** 10/05/17

**SPONSOR:** Department of the Interior, National Park Service, Midwest Region, Missouri Major Acquisition Buying Office, Springfield, IL.

**PUBLICATION DATE:** October 7, 2017

**ISSUE:** FBO-5797